

Supplemental Table A. Demographic characteristics of clinicians.

| | Licensed Psychiatrists | Licensed Psychologists | Social Workers | Psychiatry Residents | Psychology Interns/ Graduate Students | Social Work Fellows |
|---|-------------------------------|-------------------------------|-------------------------|-----------------------------|--|------------------------------|
| Number of participants (N) | 20 | 20 | 19 | 10 | 10 | 10 |
| Gender (% Male) | 70 | 50 | 11 | 70 | 0 | 20 |
| Ethnicity (% Hispanic) | 5 | 5 | 0 | 0 | 0 | 0 |
| Race | 90% C 5% AA 5% Asian | 85% C 10% AA | 95% C 5% AA | 50% C 40% Asian | 80% C 20% Asian | 60% C 20% AA 20% Asian |
| | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range |
| Age | 54.3(11.9) 37-81 | 48.4(10.8) 29-67 | 50.1(9.9) 33-73 | 31.9(2.7) 28-35 | 27.4(3.1) 24-32 | 28.3(2.5) 24-32 |
| Total number of years of clinical experience, including while in training | 28.5(12.6) 10-58 | 21.6(9.7) 7-38 | 19.6(7.2) 5-31 | 6.3(3.6) 1-11 | 1.6(0.5) 1-6 | 2.5(0.8) 2-10 |
| Hours per week seeing patients over career | 22.1(17.7) 1-55 | 20.2(8.4) 5-32 | 22.1(8.2) 5-40 | 7.9(6.2) 1-20 | 5.5(3.4) 1-10 | 23.5(12.2) 2-45 |
| Patients per week seen currently | 33.8(44.6) 3-200 | 13.3(7.7) 0-23 | 16.1(9.1) 0-30 | 17.6(11.4) 5-38 | 8.9(9.1) 1-25 | 25.2(10.6) 0-40 |
| Primary setting seeing patients | Private Practice | Private Practice, Other | Private Practice, Other | Hospital | Hosp, Univ counseling center | Community Clinic |
| Percentage with Adult Inpatient Experience | 85% | 80% | 47.4% | 100% | 50% | 20% |
| Years of Adult Inpatient Experience (among those with experience) | 5.3(8.9) (1-35) | 3.6(4.9) (1-18) | 6.4(7.7) (1-25) | 2.0(1.3) (0.3-4) | 1.7(0.8) 1-3 | 0.8(0.4) (0.5-1) |
| Percentage with Adult Outpatient Experience | 100% | 95% | 84.2% | 90% | 90% | 50% |

| | Licensed Psychiatrists | Licensed Psychologists | Social Workers | Psychiatry Residents | Psychology Interns/ Graduate Students | Social Work Fellows |
|--|------------------------|------------------------|------------------------|------------------------|---------------------------------------|------------------------|
| | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range |
| Years of Adult Outpatient Experience (among those with experience) | 19.2(13.3) (1-53) | 14.3(10.4) (2-38) | 9.0(7.7) (1-25) | 1.8(1.6) (0.1-5) | 2.7(1.3) (0.5-4) | 1.2(0.4) (1-2) |
| Percentage with Adult Forensic Experience | 25% | 30% | 10.5% | 30% | 10% | 0% |
| Years of Adult Forensic Experience (among those with experience) | 6.8(3.4) (2-10) | 3.3(3.0) (1-8) | 1.5(0.7) (1-2) | 1.7(2.0) (0.5-4) | 3(0) | 0 |
| Percentage with Adult Consultation Experience | 45% | 15% | 26.3% | 100% | 20% | 0% |
| Years of Adult Consultation Experience (among those with experience) | 6.6(11.6) (1-36) | 19.3(9.5) (12-30) | 7.8(5.3) (1-15) | 1.0(1.4) (0.1-4) | 3.5(2.1) (2-5) | 0 |
| Percentage with Child Inpatient Experience | 25% | 30% | 26.3% | 90% | 10% | 30% |
| Years of Child Inpatient Experience (among those with experience) | 6.0(7.8) (0.2-18) | 1.7(0.8) (1-3) | 5.7(6.9) (1-18) | 0.1(0.01) (0.1-0.3) | 0.5(0) | 1.3(0.6) (1-2) |
| Percentage with Child Outpatient Experience | 40% | 50% | 42.1% | 40% | 60% | 100% |
| Years of Child Outpatient Experience (among those with experience) | 11.1(13.4) (0.5-30) | 9.4(10.4) (1-3) | 5.8(7.0) (1-21) | 0.8(0.5) (0.1-1) | 1.3(0.9) (0.5-3) | 1.5(1.3) (0.4-4) |
| Percentage with Child Forensic Experience | 10% | 15% | 5.3% | 0% | 10% | 10% |
| Years of Child Forensic Experiences (among those with experience) | 4.5(3.5) (2-7) | 3.8(2.9) (0.5-6) | 1(0) | 0 | 1(0) | 2(0) |
| Percentage with Child Consultation Experience | 10% | 25% | 26.3% | 0% | 0% | 10% |
| Years of Child Consultation Experience (among those with experience) | 0.8(0.4) (0.5-1) | 9.9(9.0) (1.5-25) | 7.6(3.6) (3-11) | 0 | 0 | 2(0) |
| Percentage with Clinical Research Experience | 50% | 50% | 15.8% | 50% | 80% | 0% |

| | Licensed Psychiatrists | Licensed Psychologists | Social Workers | Psychiatry Residents | Psychology Interns/ Graduate Students | Social Work Fellows |
|---|---|--|---|-----------------------------|--|--|
| | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range | M(SD) Range |
| Years of Clinical Research (among those with experience) | 13.6(12.1) (3-38) | 5.7(8.7) (0.5-30) | 2.7(0.6) (2-3) | 2.1(3.3) (0.1-8) | 3.5(2.5) (1-7) | 0 |
| Percentage with Administrative Experience | 45% | 75% | 26.3% | 40% | 20% | 40% |
| Years of Administrative Experience (among those with experience) | 11.7(9.1) (3-30) | 3.2(1.7) (1-7) | 8.2(2.2) (5-11) | 1.9(2.1) (0.5-5) | 1.5(0) | 2.3(1.5) (1-4) |
| Percentage with Experience Training Clinical Students | 80% | 70% | 31.6% | 90% | 30% | 10% |
| Years of Experience Training Clinical Students (among those with experience) | 13.8(10.5) (3-40) | 10.8(8.7) (1-30) | 5.3(5.7) (2-22) | 2.0(1.4) (0.3-4) | 2(0) | 2(0) |
| Rate of consulting the DSM for information other than diagnostic numbers (1=several times per day, 7=less than monthly) | 5.5(1.8) (2-7) | 5.4(1.6) (3-7) | 6.0 (1.2) (2-6) | 4.0(1.2) (3-7) | 5.3(1.3) (3-7) | 2.9(0.9) (1-4) |
| Number of clinicians ranking that orientation highest | CB =4 Dyn=7 Eclectic=6 Other=3 | CB=4 Dyn=7 Eclectic=8 Other=1 | CB=2 Dyn=10 Eclectic=6 Other=1 | CB=6 Dyn=2 Eclectic=2 | CB=6 Dyn=1 Eclectic=2 Other=1 | CB=6 Dyn=1 Eclectic=3 Other=0 |
| Percentage receiving analytic training | 0% | 10% | 5.3% | 0% | 10% | 0% |

Note: C=Caucasian, AA=African-American; CB=Cognitive-behavioral, Dyn=Psychoanalytic or psychodynamic. Participants were asked to either indicate their theoretical orientation or rank order the orientations that are important to their clinical work. If clinicians ranked ordered more than one orientation, the orientation ranked highest was considered to be his/her orientation.