

Percentage of Clinicians' Recall on Mental Disorders That were recalled by at least 25% of Sub-Groups. (Psychologist = Clinical Psychologist; SW = Clinical Social Workers)

Disorder Names	Recall				
	EXPERT			NOVICE	ALL
	Psychiatrist	Psychologist	SW		
Schizophrenia	<b>68%</b>	<b>85%</b>	<b>58%</b>	<b>52%</b>	<b>64%</b>
Borderline Personality Disorder	<b>68%</b>	<b>75%</b>	<b>63%</b>	<b>34%</b>	<b>57%</b>
Obsessive-Compulsive Disorder	<b>79%</b>	<b>60%</b>	<b>32%</b>	<b>48%</b>	<b>55%</b>
Dysthymic Disorder	<b>47%</b>	<b>70%</b>	<b>58%</b>	<b>45%</b>	<b>54%</b>
Major Depressive Disorder	<b>68%</b>	<b>50%</b>	<b>47%</b>	<b>45%</b>	<b>52%</b>
Generalized Anxiety Disorder	<b>42%</b>	<b>75%</b>	<b>37%</b>	<b>52%</b>	<b>52%</b>
Posttraumatic Stress Disorder	<b>53%</b>	<b>70%</b>	<b>47%</b>	<b>41%</b>	<b>52%</b>
<i>Bipolar Disorder</i>	<b>47%</b>	<b>65%</b>	<b>58%</b>	<b>38%</b>	<b>51%</b>
<i>Anxiety Disorder</i>	<b>42%</b>	<b>50%</b>	<b>32%</b>	<b>66%</b>	<b>49%</b>
<i>Personality Disorders</i>	<b>37%</b>	<b>45%</b>	<b>11%</b>	<b>83%</b>	<b>48%</b>
Attention-Deficit and Disruptive Behavior Disorders/ Attention-Deficit/Hyperactivity Disorder	<b>47%</b>	<b>30%</b>	<b>47%</b>	<b>59%</b>	<b>47%</b>
Schizoaffective Disorder	<b>68%</b>	<b>30%</b>	<b>42%</b>	<b>31%</b>	<b>41%</b>
<i>Mood Disorder</i>	<b>37%</b>	<b>30%</b>	<b>5%</b>	<b>66%</b>	<b>38%</b>
Antisocial Personality Disorder	<b>37%</b>	<b>50%</b>	<b>32%</b>	<b>24%</b>	<b>34%</b>
<i>Substance Abuse</i>	<b>37%</b>	<b>40%</b>	<b>21%</b>	<b>38%</b>	<b>34%</b>
Adjustment Disorders	<b>58%</b>	<b>40%</b>	<b>26%</b>	<b>17%</b>	<b>33%</b>
<i>Panic Disorder</i>	<b>47%</b>	<b>40%</b>	<b>16%</b>	<b>31%</b>	<b>33%</b>
Narcissistic Personality Disorder	<b>42%</b>	<b>45%</b>	<b>21%</b>	<b>24%</b>	<b>32%</b>
Bipolar I Disorder	<b>42%</b>	<b>35%</b>	<b>26%</b>	<b>24%</b>	<b>31%</b>
Substance Dependence/Alcohol	<b>42%</b>	<b>35%</b>	<b>47%</b>	<b>10%</b>	<b>31%</b>
<i>Substance Dependence</i>	<b>21%</b>	<b>30%</b>	<b>37%</b>	<b>34%</b>	<b>31%</b>
Attention-Deficit and Disruptive Behavior Disorders/ Conduct Disorder	<b>26%</b>	<b>20%</b>	<b>32%</b>	<b>38%</b>	<b>30%</b>
<i>Pervasive Developmental Disorders</i>	<b>37%</b>	<b>30%</b>	<b>21%</b>	<b>31%</b>	<b>30%</b>
<i>Eating Disorder</i>	<b>42%</b>	<b>30%</b>	<b>11%</b>	<b>34%</b>	<b>30%</b>
Anorexia Nervosa	<b>21%</b>	<b>20%</b>	<b>37%</b>	<b>31%</b>	<b>28%</b>
Bulimia Nervosa	<b>26%</b>	<b>20%</b>	<b>32%</b>	<b>31%</b>	<b>28%</b>
Attention-Deficit and Disruptive Behavior Disorders/Oppositional Defiant	<b>21%</b>	<b>25%</b>	<b>21%</b>	<b>38%</b>	<b>28%</b>

Disorder					
<i>Psychotic Disorder</i>	<b>26%</b>	10%	11%	<b>48%</b>	<b>26%</b>
Schizotypal Personality Disorder	<b>53%</b>	<b>25%</b>	11%	17%	<b>25%</b>
Social Phobia	<b>26%</b>	20%	16%	<b>31%</b>	24%
Schizoid Personality Disorder	<b>37%</b>	15%	21%	21%	23%
Substance Abuse /Alcohol	<b>37%</b>	<b>35%</b>	16%	10%	23%
Pervasive Developmental Disorders/Autistic Disorder	<b>26%</b>	15%	21%	<b>28%</b>	23%
Bipolar II Disorder	21%	<b>30%</b>	16%	17%	21%
<i>Mental Retardation</i>	<b>26%</b>	15%	5%	<b>31%</b>	21%
<i>Dementia</i>	<b>26%</b>	10%	21%	24%	21%
<i>Depression</i>	21%	<b>25%</b>	21%	17%	21%
Histrionic Personality Disorder	11%	<b>25%</b>	5%	<b>31%</b>	20%
Cyclothymic Disorder	11%	<b>35%</b>	5%	21%	18%
Dependent Personality Disorder	<b>26%</b>	20%	16%	14%	18%
Obsessive-Compulsive Personality Disorder	<b>26%</b>	<b>25%</b>	11%	14%	18%
Substance Abuse/Cocaine	<b>42%</b>	20%	11%	7%	18%
Pervasive Developmental Disorders/ Asperger's Disorder	21%	15%	<b>26%</b>	14%	18%
Adjustment Disorders/With Depressed Mood	16%	20%	<b>32%</b>	7%	17%
Avoidant Personality Disorder	16%	<b>25%</b>	11%	14%	16%
Substance Dependence/Cocaine	<b>42%</b>	10%	5%	10%	16%
Substance Dependence/Opioid	<b>37%</b>	10%	16%	7%	16%
Adjustment Disorders/With Mixed Anxiety And Depressed Mood	16%	<b>25%</b>	21%	3%	15%
Substance Abuse/Cannabis	<b>42%</b>	15%	5%	3%	15%
Paranoid Personality Disorder	21%	<b>25%</b>	11%	3%	14%
<i>Psychosis</i>	16%	5%	<b>26%</b>	10%	14%
Panic Disorder With Agoraphobia	21%	<b>30%</b>	0%	3%	13%
Substance Abuse/Opioid	<b>42%</b>	5%	0%	7%	13%
Substance Dependence/Cannabis	<b>37%</b>	5%	5%	3%	11%
Bereavement	<b>32%</b>	0%	11%	3%	10%
Dementia/Dementia Of The Alzheimer's Type	<b>26%</b>	10%	0%	3%	9%
<i>Passive-aggressive Personality Disorder</i>	5%	<b>25%</b>	11%	0%	9%

Substance Abuse/Hallucinogen	<b>26%</b>	5%	0%	3%	8%
<i>Delirium</i>	<b>32%</b>	0%	0%	0%	7%

Note. 1. Percentages of recall greater than 25% are highlighted in bold.

2. Italicized disorders indicate disorders that do not have ICD code numbers in the DSM-IV-TR.